

BR 65

Tempest —————

CC013/22





Custom version





New version 2021-2022



TECHNICAL SPECIFICATION

Length o.a.:	6.50 mt
Beam o.a.:	2,58 mt
Tube diameter:	0,52 mt max
Dry weight (approx.):	1060 kg
Max people on board:	n. 10
Max engine power:	200 HP (1 XL)
Propulsion:	Outboard
Certification CE:	C
Tube:	Neoprene Hypalon Orca® 1670 dtex



STANDARD EQUIPMENTS

- Cuscineria / Deck upholstery
- Pannello elettrico / Electric panel;
- Luci navigazione / Navigation lights;
- Parabrezza cristallo e plexiglass / Glass and plexiglass windscreen;
- Plancia poppa integrata / Integrated stern platform;
- Pompa sentina / Bilge pump;
- Rivestimento flexiteek trincarini e gradino prua / Flexiteek covering on stringers and bow step;
- Scaletta / Ladder
- Serbatoio / Fuel tank lt 220;
- Tavolo / Table;
- Porta-bicchieri / Glass-holder;
- Tergicristallo tribordo / Starboard wiper

OPTIONAL EQUIPMENTS

- Asta sci / Ski pole
- Completamento cuscineria prua / Additional fore sunbathing kit
- Doccia (lt 45) / Shower (lt 45)
- Frigorifero a cassetto (lt 16) / Drawer fridge (lt 16)
- Radio / Radio
- Rivestimento flexiteek pozzetto (include pozzetto e secondo gradino prua) / Flexiteek covering on cockpit (stern platform and second bow step included)
- Telo copripozzetto / Stern area cover
- Telo completamento copripozzetto / Additional stern area cover
- Tendalino a scomparsa / SS pull-down bimini top
- Tergicristallo babordo / Port wiper
- Timoneria idraulica sea star / Sea star hydraulic steering

All features and data concerning the whole production are not binding.
Cantieri Capelli reserves the right to modify them without advance notice