



2022

RIBS DIVISION



TEMPEST**1000**WA COMING SOON 2022

TEMPEST**1000**OPEN

TEMPEST**900**WA

TEMPEST**850**WA

TEMPEST**850**OPEN

TEMPEST**800**

TEMPEST**775**

TEMPEST**770**WA

TEMPEST**750**SPORT/LUXE

TEMPEST**700**OPEN

TEMPEST**650**

TEMPEST**600**

TEMPEST**570**

TEMPEST**530**

TEMPEST**470**

TEMPEST**430**

PG. 2

PG. 4

PG. 8

PG. 12

PG. 16

PG. 18

PG. 22

PG. 24

PG. 26

PG. 28

PG. 30

PG. 31


PG. 32

PG. 33

PG. 34

PG. 35





NEW TEMPEST1000WA
COMING SOON
2022








TEMPEST1000OPEN





TECHNICAL FEATURES

LENGTH O.A.	10,10 mt
BEAM O.A.	3,33 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	2450 kg
MAX. PEOPLE ON BOARD	22
MAX. ENGINE POWER	600 HP (2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by: Cantieri Capelli's technical dept. in partnership with Roberto Curtò Design

TEMPEST1000OPEN






TEMPEST9000WA





TECHNICAL FEATURES

LENGTH O.A.	9,50 mt
BEAM O.A.	3,30 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	2220 kg
MAX. PEOPLE ON BOARD	18
MAX. ENGINE POWER	500 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



TEMPEST900WA






TEMPEST850WA





TECHNICAL FEATURES

LENGTH O.A.	8,85 mt
BEAM O.A.	3,28 mt
TUBE DIAMETER	0,60 mt max
DRY WEIGHT (approx.)	2200 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	450 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by Roberto Curtò


TEMPEST 850 WA





TECHNICAL FEATURES

LENGTH O.A.	8,50 mt
BEAM O.A.	3,25 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1900 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	400 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



TEMPEST8500OPEN






TEMPEST800





TECHNICAL FEATURES

LENGTH O.A.	7,91 mt
BEAM O.A.	3,05 mt
TUBE DIAMETER	0,64 mt max
DRY WEIGHT (approx.)	1500 kg
MAX. PEOPLE ON BOARD	15/18
MAX. ENGINE POWER	300 HP (1 XL)
CERTIFICATION CE	B/C
TUBE	Neoprene - Hypalon Orca® 1670 dtex



TEMPEST800






Corrimano inox di serie da Settembre 2016/SS handrail STD from Sept. 2016

TECHNICAL FEATURES

LENGTH O.A.	7,75 mt
BEAM O.A.	3,00 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1350 kg
MAX. PEOPLE ON BOARD	12/22
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	B/C
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST 775





TECHNICAL FEATURES

LENGTH O.A.	7,70 mt
BEAM O.A.	2,98 mt
TUBE DIAMETER	0,54 mt max
DRY WEIGHT (approx.)	1600 kg
MAX. PEOPLE ON BOARD	18
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by Roberto Curtò


TEMPEST 770WA



TEMPEST^{SPORT} 750

TECHNICAL FEATURES


LENGTH O.A.	7,48 mt
BEAM O.A.	2,98 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1250 kg
MAX. PEOPLE ON BOARD	20
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex





TECHNICAL FEATURES

LENGTH O.A.	7,65 mt
BEAM O.A.	2,98 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1300 kg
MAX. PEOPLE ON BOARD	20
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST^{LUXE}
750





TECHNICAL FEATURES

LENGTH O.A.	7,35 mt
BEAM O.A.	2,86 mt
TUBE DIAMETER	0,58 mt max
DRY WEIGHT (approx.)	1050 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	225 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST 700 OPEN



TEMPEST 650

TECHNICAL FEATURES


LENGTH O.A.	6,55 mt
BEAM O.A.	2,67 mt
TUBE DIAMETER	0,56 mt max
DRY WEIGHT (approx.)	800 kg
MAX. PEOPLE ON BOARD	12
MAX. ENGINE POWER	200 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex





TECHNICAL FEATURES

LENGTH O.A.	5,92 mt
BEAM O.A.	2,50 mt
TUBE DIAMETER	0,55 mt max
DRY WEIGHT (approx.)	600 kg
MAX. PEOPLE ON BOARD	12
MAX. ENGINE POWER	140 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex



TEMPEST
600







TEMPEST 570

TECHNICAL FEATURES

LENGTH O.A.	5,60 mt
BEAM O.A.	2,60 mt
TUBE DIAMETER	0,56 mt max
DRY WEIGHT (approx.)	551 kg
MAX. PEOPLE ON BOARD	12
MAX. ENGINE POWER	135 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex



Design by: Paolo Ferragni




OPT Water ski arch



TECHNICAL FEATURES

LENGTH O.A.	5,35 mt
BEAM O.A.	2,25 mt
TUBE DIAMETER	0,50 mt max
DRY WEIGHT (approx.)	450 kg
MAX. PEOPLE ON BOARD	9
MAX. ENGINE POWER	110 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex



TEMPEST
530






TEMPEST 470

TECHNICAL FEATURES

LENGTH O.A.	4,72 mt
BEAM O.A.	2,13 mt
TUBE DIAMETER	0,50 mt max
DRY WEIGHT (approx.)	350 kg
MAX. PEOPLE ON BOARD	7
MAX. ENGINE POWER	70 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex




Design by Roberto Curtò





TECHNICAL FEATURES

LENGTH O.A.	4,22 mt
BEAM O.A.	2,03 mt
TUBE DIAMETER	0,45 mt max
DRY WEIGHT (approx.)	300 kg
MAX. PEOPLE ON BOARD	6
MAX. ENGINE POWER	40 HP (1 L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex



TEMPEST
430



DOTAZIONI - EQUIPMENT

	1000 OPEN	900 WA	850 WA	850 OPEN	800	775	770 WA	750 SPORT	750 LUXE	700 OPEN	650	600	570	530	470	430
Asta da sci - Ski bar	●	●	●	●	●	●	●	●	●	●	●	●	● ¹	●	●	
Bitta ormeggio prua c/corimano - Bow mooring cleat w/handrail								●								
Bitta ormeggio poppa - Stern mooring cleat								●	●							
Centralina servo sterzo - Sea Star power assistant	●	●	●													
Copriconsolle - Console cover	●	●	●	●	●	●	●			●	●	●	●	●	●	●
Copripanca - Bench cover																
Cuscini di prua - Fore sunbathing cushions	■	■	■	■	■	■	■	■ ²	■ ²	■	■	●	●	●	●	●
Doccia - Shower	■	■	■	■	■	■	■	●	■	●	●	●	●	●		
	lt.94	lt.60	lt.70	lt.60	lt.67	lt.67	lt.60	lt.60	lt.60	lt.45	lt.67	lt.45	lt.45	lt.45		
Fornello - Cooker					● PORTABLE	● PORTABLE										
Frigorifero - Refrigerator	■	■	■	■	■	■	■	■	■	■						
	lt.65	lt.48	lt.48	lt.48	lt.48	lt.48	lt.30 (110V/120V)	lt.48	lt.30 (110V/120V)							
Gonfiatore - Inflating pump	■ ELECTRIC	■ ELECTRIC	■ ELECTRIC	■ ELECTRIC	■ ELECTRIC	■	■ ELECTRIC	■	■	■	■	■	■	■	■	■
Impianto 220V - Dockside current tap 220V	●	●	●				●									
Luci di navigazione - Navigation lights	■	■	■	■	■	■	■	■	■	■	● ON A-FRAME	● ON A-FRAME	● ON A-FRAME	● ON A-FRAME	● ON A-FRAME	
Kit plancette poppa - Stern platforms kit	■	■	■	■ WITH FLEXITEEK	■	■	■ WITH FLEXITEEK			■	■ WITH FLEXITEEK	■	■	■	■	
Musone prua VTR - GRP Bow roller	■	■	■	■	■	■	■	●	■	■	■	■	■	■	■	
Pagaie - Paddles						■		■	■	■	■	■	■	■	■	■
Panca guida leaning post - Leaning post		■	■	■	■	■	■	■	■		■	●				
Panca guida VTR - GRP Steering bench	■									■		■	■	■	■	■
Pannello elettrico - Electric panel	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
Parabrezza - Windscreen	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Pompa sentina - Bilge pump	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC	■ AUTOMATIC
Prendisole addiz. Poppa - Add. aft sunbathing kit	■	●	●	●	●	●	●			●	●	●				
Pulpito inox - Stainless steel pulpit		■	■	●			■	●	■							
Radio	■	●	●	●	●	●	●	●	●	●	●					
Rivest. flexiteek dell'inniera - Flexiteek covering on bow roller	■	■	■	■	■	■	■	●	■	●						
Rivest. flexiteek trincarini - Flexiteek covering on stringers								●	■	■	●	●	●			
Rivest. flexiteek pozzetto - Flexiteek covering on cockpit	● ³	● ³	● ³	●	● ³	● ³	●	● ³	● ³	● ³	●	●	●			
Roll-bar inox - Stainless steel A-frame					●	■	●	●	●	■	●	●	●	●	●	
Roll-bar VTR - GRP A-frame	● ⁴	●	■	■	●	●	●									
Scaletta - Ladder	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	●
Serbatoio benzina - Fuel tank (Circa - Approx)	■	■	■	■	■	■	■	■	■	■	■	■	■	●		
	lt.390	lt.350	lt.325	lt.390	lt.300	lt.250	lt.215	lt.355	lt.355	lt.205	lt.205	lt.130	lt.86	lt.86		
Soft-top inox - SS soft-top		●						●	●							
Hard-top	●	●						● ⁵	●							
Tavolo - Table	■	■	■	■	■	■	■	■	■	■	■	● PLASTIC		●	●	
Telo ricovero - Boat storage cover		●	●	●	●	●	●			●	●	●	●	●	●	●
Tendalino - Sunshade arch	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Timoneria idraulica - Hydraulic steering	■	■	■	■	■	■	■	■	■	■	●					
Trincarino VTR porta bitta - GRP stringer for cleat								●	■							
Verricello elettrico - Electric winch	■	■	■	■	●	●	●	● ⁶	●	●						
WC marino con serbatoio acque nere - Marine toilet with septic tank	■	■	■	■	■		■									

■ Standard ● Optional

¹ Disponibile OPT arco sci nautico; Available OPT water ski arch

² Comprende prolungamento con tavolo e cuscino addizionale;
Includes sunbed extension with table and cushion

³ Include rivestimento su plancia poppa; Includes covering on stern platform

⁴ OPT installabile solo in fase produzione, non in post-vendita;
OPT that can be installed only in production phase, not in post-production

⁵ Disponibile OPT mancorrenti Hard-top (coppia);
Available OPT Hard-top SS bars (pair)

⁶ Include musone VTR; Includes GRP dolphins strinker

N.B: Parabordo con decoro nocciola su unità prodotte fino alla stagione 2018/2019.

Parabordo con decoro off-white in variazione nel corso della stagione 2019/2020.

PLEASE NOTE: Fender with light brown accent on models produced until season 2018/2019.

Fender with off-white accent changing during season 2019/2020.

Tutte le caratteristiche relative all'intera gamma non sono vincolanti. Cantieri Capelli si riserva il diritto di modificarle senza preavviso. Le imbarcazioni raffigurate possono essere equipaggiate con accessori optional;
All features and data concerning our whole production are not binding. The shipyard Capelli reserves the right to modify them without advance notice. The boats shown can be equipped with additional options.







Via delle industrie, 19 - 26020 Spinadesco (CREMONA) ITALY Tel. +39 0372 491399 Fax + 39 0372 492115 www.cantiericapelli.it