





TEMPEST**1000**WA
TEMPEST**1000**OPEN

TEMPEST**900**WA
TEMPEST**900**OPEN
TEMPEST**900**LUXE

TEMPEST**850**WA
TEMPEST**850**OPEN

TEMPEST**800**

TEMPEST**800**OPEN [new model]

TEMPEST**775**

TEMPEST**750**SPORT/LUXE

TEMPEST**700**

TEMPEST**700**LUXE [new model]

TEMPEST**650**

TEMPEST**600**

TEMPEST**570**

TEMPEST**530**

TEMPEST**480**

TEMPEST**430**






TEMPEST1000WA





TECHNICAL FEATURES

LENGTH O.A.	10,64 mt
BEAM O.A.	3,28 mt
TUBE DIAMETER	0,60 mt max
DRY WEIGHT (approx.)	3000 kg
MAX. PEOPLE ON BOARD	18
MAX. ENGINE POWER	700 HP (2 XL) Max total engines weight 600 kg
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by: Cantieri Capelli's technical dept.

TEMPEST1000WA






TEMPEST10000OPEN





TECHNICAL FEATURES

LENGTH O.A.	10,10 mt
BEAM O.A.	3,31 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	2450 kg
MAX. PEOPLE ON BOARD	22
MAX. ENGINE POWER	600 HP (2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by: Cantieri Capelli's technical dept. in partnership with Roberto Curtò Design


TEMPEST1000OPEN





TECHNICAL FEATURES

LENGTH O.A.	9,50 mt
BEAM O.A.	3,30 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	2200 kg
MAX. PEOPLE ON BOARD	18
MAX. ENGINE POWER	500 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST 900WA





TECHNICAL FEATURES

LENGTH O.A.	9,60 mt
BEAM O.A.	3,24 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	2100 kg
MAX. PEOPLE ON BOARD	18
MAX. ENGINE POWER	500 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST 9000 OPEN






TECHNICAL FEATURES

LENGTH O.A.	9,62 mt
BEAM O.A.	3,25 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	2100 kg
MAX. PEOPLE ON BOARD	20
MAX. ENGINE POWER	500 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST9000LUXE





TECHNICAL FEATURES

LENGTH O.A.	8,85 mt
BEAM O.A.	3,26 mt
TUBE DIAMETER	0,60 mt max
DRY WEIGHT (approx.)	2200 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	450 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by Roberto Curtò


TEMPEST 850WA





TECHNICAL FEATURES

LENGTH O.A.	8,50 mt
BEAM O.A.	3,24 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1900 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	400 HP (1 U / 2 XL)
CERTIFICATION CE	B
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by Cantieri Capelli technical dept.


TEMPEST 850 OPEN





TECHNICAL FEATURES

LENGTH O.A.	7,91 mt
BEAM O.A.	3,06 mt
TUBE DIAMETER	0,64 mt max
DRY WEIGHT (approx.)	1500 kg
MAX. PEOPLE ON BOARD	15/18
MAX. ENGINE POWER	300 HP (1 XL)
CERTIFICATION CE	B/C
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST800





TECHNICAL FEATURES

LENGTH O.A.	7,98 mt
BEAM O.A.	2,96 mt
TUBE DIAMETER	0,60 mt max
DRY WEIGHT (approx.)	1500 kg
MAX. PEOPLE ON BOARD	10/18
MAX. ENGINE POWER	350 HP (1 XL)
CERTIFICATION CE	B/C
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by Cantieri Capelli technical dept.


TEMPEST 8000 OPEN





TECHNICAL FEATURES

LENGTH O.A.	7,75 mt
BEAM O.A.	2,99 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1350 kg
MAX. PEOPLE ON BOARD	12/22
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	B/C
TUBE	Neoprene - Hypalon Orca® 1670 dtex



TEMPEST775




TEMPEST 750

SPORT

TECHNICAL FEATURES


LENGTH O.A.	7,48 mt
BEAM O.A.	2,98 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1250 kg
MAX. PEOPLE ON BOARD	20
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex





TECHNICAL FEATURES

LENGTH O.A.	7,65 mt
BEAM O.A.	2,98 mt
TUBE DIAMETER	0,65 mt max
DRY WEIGHT (approx.)	1300 kg
MAX. PEOPLE ON BOARD	20
MAX. ENGINE POWER	250 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex




TEMPEST^{LUXE}
750



TEMPEST 700

TECHNICAL FEATURES


LENGTH O.A.	7,35 mt
BEAM O.A.	2,86 mt
TUBE DIAMETER	0,58 mt max
DRY WEIGHT (approx.)	1050 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	225 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex





TECHNICAL FEATURES

LENGTH O.A.	7,35 mt
BEAM O.A.	2,86 mt
TUBE DIAMETER	0,58 mt max
DRY WEIGHT (approx.)	1050 kg
MAX. PEOPLE ON BOARD	16
MAX. ENGINE POWER	225 HP (1 XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex



Design by Cantieri Capelli technical dept.


TEMPEST LUXE
700



TEMPEST 650

TECHNICAL FEATURES


LENGTH O. .	6,55 mt
BEAM O.A.	2,66 mt
TUBE DIAMETER	0,56 mt max
DRY WEIGHT (approx.)	800 kg
MAX. PEOPLE ON BOARD	12
MAX. ENGINE POWER	200 HP (1XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex





TECHNICAL FEATURES

LENGTH O.A.	5,92 mt
BEAM O.A.	2,49 mt
TUBE DIAMETER	0,55 mt max
DRY WEIGHT (approx.)	600 kg
MAX. PEOPLE ON BOARD	12
MAX. ENGINE POWER	140 HP (1XL)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1670 dtex



TEMPEST
600






TEMPEST 570

TECHNICAL FEATURES

LENGTH O.A.	5,60 mt
BEAM O.A.	2,49 mt
TUBE DIAMETER	0,56 mt max
DRY WEIGHT (approx.)	551 kg
MAX. PEOPLE ON BOARD	12
MAX. ENGINE POWER	135 HP (1L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex




Design by: Paolo Ferragni





TECHNICAL FEATURES

LENGTH O.A.	5,35 mt
BEAM O.A.	2,26 mt
TUBE DIAMETER	0,50 mt max
DRY WEIGHT (approx.)	450 kg
MAX. PEOPLE ON BOARD	9
MAX. ENGINE POWER	110 HP (1L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex



TEMPEST
530






TEMPEST 480

TECHNICAL FEATURES



LENGTH O.A.	4,82 mt
BEAM O.A.	2,30 mt
TUBE DIAMETER	0,50 mt max
DRY WEIGHT (approx.)	500 kg
MAX. PEOPLE ON BOARD	7
MAX. ENGINE POWER	80 HP (1L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex





TECHNICAL FEATURES

LENGTH O.A.	4,22 mt
BEAM O.A.	2,02 mt
TUBE DIAMETER	0,45 mt max
DRY WEIGHT (approx.)	300 kg
MAX. PEOPLE ON BOARD	6
MAX. ENGINE POWER	40 HP (1L)
CERTIFICATION CE	C
TUBE	Neoprene - Hypalon Orca® 1100 dtex



TEMPEST
430



DOTAZIONI - EQUIPMENT

	1000 WA	1000 OPEN	900 WA	900 OPEN	900 LUXE	850 WA	850 OPEN	800	800 OPEN	775	750 SPORT	750 LUXE	700 LUXE	700 OPEN	650	600	570	530	480	430
Allestim. cabina con WC marino e serbatoio acque nere Cabin set-up with marine toilet and septic tank				●						●										
Asta da sci - Ski bar	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	● ¹	●		
Bitta ormeggio prua c/corrimano - Bow mooring cleat w/handrail										●	●									
Bitte ormeggio poppa (coppia) - Stern mooring cleat (pair)					●					●	●									
Copri-divano di poppa - Cover for stern bench	●																			
Copri-consolle - Console cover	●	●	●	●	●	●	●	●	●	●			●	●	●	●	●	●	●	●
Copri-panca - Bench cover																			●	●
Corrimano console - Console handrail																			●	
Cuscini di prua - Fore sunbathing cushions	■	■	■	■ ²	■ ³	■	■	■	■ ²	■	■ ³	■ ³	■ ²	■	■	●	●	●	●	●
Doccia - Shower	■	■	■	■	■	■	■	■	■	■	●	■	●	●	●	●	●	●		
	1.94	1.94	1.60	1.94	1.94	1.70	1.60	1.67	1.67	1.67	1.60	1.60	1.45	1.45	1.67	1.45	1.45	1.45		
Fornello - Cooker				● ^{PORTABLE}				● ^{PORTABLE}	● ^{PORTABLE}											
Frigorifero - Refrigerator	■ ⁴	■	■	■	●	■	■	■	■	■	■	■	■	■						
	1.65	1.65	1.49	1.65	1.49	1.49	1.49	1.49	1.50	1.49	1.49	1.30	1.30							
Gonfiatore - Inflating pump	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC											
Impianto 220V - Dockside current tap 220V	●	●	●	●		●	●													
Luci di navigazione - Navigation lights	■	■	■	■	■	■	■	■	■	■	■	■	■	■	● ^{ON A FRAME}	● ^{ON A FRAME}	● ^{ON ARCH}	● ^{ON A FRAME}		
Maniglie inox prua su tubolare (cp) - SS bow handles on tube (pair)											●	■								
Musone prua VTR - GRP Bow roller	■	■	■	■	■	■	■	■	■	■	●	■	■	■	■	■	■	■	■	■
Panca guida leaning post - Leaning post			■		■	■	■	■		■	■	■	■		■	●				
Panca guida VTR - GRP Steering bench	■	■		■				■						■		■	■	■	■	■
Plance poppa - Stern platforms	■	■		■	■	■	■ ^{WITH FLEXITEEK}	■	■	■	■	■	■	■	● ^{HIGH FLEXITEEK}				●	
Pompa sentina - Bilge pump	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}	■ ^{AUTOMATIC}
Prendisole addiz. Poppa - Add. aft sunbathing kit	■	■	●	●		●	●	●	●	●			●	●	●	●				
Pulpito inox - Stainless steel pulpit	■		■			■	●													
Radio	■	■	●	●	●	●	●	●	●	●	●	●	●	●	●					
Rivest. flexiteek delfiniera - Flexiteek covering on bow roller		■	■	■	■	■	■	■	■	■	●	■	●	●					●	
Rivest. flexiteek trincarini - Flexiteek covering on stringers	■										●	■	■	■	●	●	●			
Rivest. flexiteek pozzetto - Flexiteek covering on cockpit	● ⁵	● ⁵	● ⁵	● ⁵	● ⁵	● ⁵	●	● ⁵	●	● ⁵	● ⁵	● ⁵	●	● ⁵	●	●	●			
Roll-bar inox - Stainless steel A-frame					●			●	●	■	●	●	●	■	●	●	●	●		
Roll-bar VTR - GRP A-frame	● ⁶	● ⁶	●	● ⁶		■	■	●		●										
Scaletta - Ladder	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	●
Serbatoio benzina - Fuel tank (Circa - Approx)	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	●	●	
	1.550	1.390	1.350	1.390	1.390	1.325	1.390	1.300	1.325	1.250	1.355	1.355	1.205	1.205	1.205	1.130	1.86	1.86	1.86	
Soft-top inox - SS soft-top		●	●		●						●	●	●							
Hard-top VTR avorio / Ivory GRP Hard-top	●	●	●	●				●			● ⁷	●	●							
Tavolo - Table	■ ⁸	■ ⁸	■	■ ⁸	■	■	■	■	■	■	■	■	■	■	■	■	● ^{FLAT TOP}	●		
Telo ricovero - Boat storage cover			●			●	●	●		●			●	●	●	●	●	●	●	●
Tendalino - Sunshade arch	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Timoneria idraulica - Hydraulic steering	■	■	■	■	■	■	■	■	■	■	■	■	■	■	●					
Trincarini VTR porta bitta (coppia) - GRP stringers for cleat (pair)					■						●	■								
Vano add. prua VTR con cuscini - Bow GRP add. locker w/cushions					● ⁹															
Verricello elettrico - Electric winch	■	■	■	■	■	■	■	●	●	●	● ¹⁰	●	●	●						
WC marino con serbatoio acque nere - Marine toilet with septic tank	■	■	■	● ¹¹		■	■	■	●											

■ Standard ● Optional

- Disponibile anche OPT arco sci nautico;
Available also OPT water ski arch
- Solo puntale, completamento prua OPT; Bow cushion only, additional front sundeck OPT
- Comprende prolungamento con pagliolo e cuscino addizionale; Includes sunbed extension with wooden support and cushion
- Disponibile OPT frigorifero a cassetto lt. 30 in cabina; Available OPT cabin draw fridge lt. 30
- Include rivestimento su plancia poppa (per TE 1000WA comprende rivestimento prua); Includes covering on stern platform (bow planking included for TE 1000WA)
- OPT installabile solo in fase produzione, non in post-vendita; OPT that can be installed only in production phase, not in post-production
- Disponibile OPT mancorrenti Hard-top (coppia). Hard-top VTR grigio artic; Available OPT Hard-top SS bars (pair). Hard-top in artic grey GRP
- STD per TE 1000WA/OPEN tavolo abbattibile con cuscino addizionale di poppa, OPT per TE 900OPEN; STD on TE 1000WA/OPEN pull-down table with additional sundeck cushion, OPT on TE 900OPEN
- OPT installabile solo in fase produzione, non in post-vendita. Rimozione panche prua e pagliolo STD; OPT that can be installed only in production phase, not in post-production. STD bow benches and add. support to be removed.
- Include musone VTR; Includes GRP dolphins strinker
- Incluso nell'allestimento cabina OPT; Included in the cabin set-up OPT

N.B: Parabordo con decoro nocciola su unità prodotte fino alla stagione 2018/2019.
Parabordo con decoro off-white in variazione nel corso della stagione 2019/2020.

PLEASE NOTE: Fender with light brown accent on models produced until season 2018/2019.
Fender with off-white accent changing during season 2019/2020.

Tutte le caratteristiche relative all'intera gamma non sono vincolanti. Cantieri Capelli si riserva il diritto di modificarle senza preavviso. Le imbarcazioni raffigurate possono essere equipaggiate con accessori optional;
All features and data concerning our whole production are not binding. The shipyard Capelli reserves the right to modify them without advance notice. The boats shown can be equipped with additional options.



Cantieri Capelli S.r.l.

Via delle industrie, 19 - 26020 Spinadesco - Cremona (Italy)

Tel. +39 0372 491399

E-mail: info@cantiericapelli.it - Web: www.cantiericapelli.it

